

## Krallmuffe C20



- ❖ Absolut betondicht
- ❖ Sichere Zugentlastung
- ❖ Keine Nacharbeiten – kein Rohrabschnitt
- ❖ Für alle Rohrarten geeignet



Artikelnummer	P955-20
Kategorie	Betoninstallation
Montageart	Steckverbindung
EAN	4260182066935
Material	PP
Farbe	Anthrazit

## Produkteigenschaften

Durchmesser innen	20 mm
Durchmesser außen	26 mm
Gesamtlänge	53 mm
Typ	20

## Krallmuffe C25



- ❖ Absolut betondicht
- ❖ Sichere Zugentlastung
- ❖ Keine Nacharbeiten – kein Rohrabschnitt
- ❖ Für alle Rohrarten geeignet



Artikelnummer	P955-25
Kategorie	Betoninstallation
Montageart	Steckverbindung
EAN	4260182066959
Material	PP
Farbe	Anthrazit

### Produkteigenschaften

Durchmesser innen	25 mm
Durchmesser außen	31 mm
Gesamtlänge	53 mm
Typ	25

## Krallmuffe C32



- ❖ Absolut betondicht
- ❖ Sichere Zugentlastung
- ❖ Keine Nacharbeiten – kein Rohrabschnitt
- ❖ Für alle Rohrarten geeignet



Artikelnummer	P955-32
Kategorie	Betoninstallation
Montageart	Steckverbindung
EAN	4260182066973
Material	PP
Farbe	Anthrazit

### Produkteigenschaften

Durchmesser innen	32 mm
Durchmesser außen	38 mm
Gesamtlänge	61 mm
Typ	32

## Krallmuffe C40



- ❖ Absolut betondicht
- ❖ Sichere Zugentlastung
- ❖ Keine Nacharbeiten – kein Rohrabschnitt
- ❖ Für alle Rohrarten geeignet



Artikelnummer	P955-40
Kategorie	Betoninstallation
Montageart	Steckverbindung
EAN	4260182066997
Material	PP
Farbe	Anthrazit

## Produkteigenschaften

Durchmesser innen	40 mm
Durchmesser außen	46 mm
Gesamtlänge	61 mm
Typ	40

## End- und Übergangsstülpe C20



- ❖ Einfache Montage
  - Zeitsparende Nagelführung
  - Große Klebefläche
- ❖ Betonmultitalent
  - Decken- und Wandübergänge
  - Werksfertigung/Ortbeton/Sichtbeton
- ❖ Stecksystem
  - Verschiedene Größen miteinander kombinierbar
  - Kombination von Tüllen und Krümmern möglich
- ❖ Aufsteckbare Flügel (P761)
  - Normabstand 15 cm zur Türschalung
  - Für Betonüberdeckungen von 20 – 60 mm

Artikelnummer	P955-20-NK
Kategorie	Betoninstallation
Montageart	Nagel, Kleber
EAN	4260182066942
Material	PP
Farbe	Anthrazit-Orange

### Produkteigenschaften

Länge	50 mm
Breite	36 mm
Höhe	55 mm
Durchmesser außen	26 mm
Durchmesser innen	20 mm
Flügelspannweite	233 mm
Typ	20

## End- und Übergangsstülpe C25



- ❖ Einfache Montage
  - Zeitsparende Nagelführung
  - Große Klebefläche
- ❖ Betonmultitalent
  - Decken- und Wandübergänge
  - Werksfertigung/Ortbeton/Sichtbeton
- ❖ Stecksystem
  - Verschiedene Größen miteinander kombinierbar
  - Kombination von Tüllen und Krümmern möglich
- ❖ Aufsteckbare Flügel (P761)
  - Normabstand 15 cm zur Türschalung
  - Für Betonüberdeckungen von 20 – 60 mm

Artikelnummer	P955-25-NK
Kategorie	Betoninstallation
Montageart	Nagel, Kleber
EAN	4260182066966
Material	PP
Farbe	Anthrazit-Orange

### Produkteigenschaften

Länge	54 mm
Breite	41 mm
Höhe	55 mm
Durchmesser außen	31 mm
Durchmesser innen	25 mm
Flügelspannweite	237 mm
Typ	25

## End- und Übergangsstülpe C32



- ❖ Einfache Montage
  - Zeitsparende Nagelführung
  - Große Klebefläche
- ❖ Betonmultitalent
  - Decken- und Wandübergänge
  - Werksfertigung/Ortbeton/Sichtbeton
- ❖ Stecksystem
  - Verschiedene Größen miteinander kombinierbar
  - Kombination von Tüllen und Krümmern möglich
- ❖ Aufsteckbare Flügel (P761)
  - Normabstand 15 cm zur Türschalung
  - Für Betonüberdeckungen von 20 – 60 mm

Artikelnummer	P955-32-NK
Kategorie	Betoninstallation
Montageart	Nagel, Kleber
EAN	4260182066980
Material	PP
Farbe	Anthrazit-Orange

### Produkteigenschaften

Länge	62 mm
Breite	48 mm
Höhe	63 mm
Durchmesser außen	38 mm
Durchmesser innen	32 mm
Flügelspannweite	245 mm
Typ	32

## End- und Übergangsstülpe C40



- ❖ Einfache Montage
  - Zeitsparende Nagelführung
  - Große Klebefläche
- ❖ Betonmultitalent
  - Decken- und Wandübergänge
  - Werksfertigung/Ortbeton/Sichtbeton
- ❖ Stecksystem
  - Verschiedene Größen miteinander kombinierbar
  - Kombination von Tüllen und Krümmern möglich
- ❖ Aufsteckbare Flügel (P761)
  - Normabstand 15 cm zur Türschalung
  - Für Betonüberdeckungen von 20 – 60 mm

Artikelnummer	P955-40-NK
Kategorie	Betoninstallation
Montageart	Nagel, Kleber
EAN	4260182067000
Material	PP
Farbe	Anthrazit-Orange

### Produkteigenschaften

Länge	70 mm
Breite	56 mm
Höhe	63 mm
Durchmesser außen	46 mm
Durchmesser innen	40 mm
Flügelspannweite	253 mm
Typ	40



## Wand- und Deckenkrümmer C20



- ❖ Einfache Montage
  - Zeitsparende Nagelführung
  - Große Klebefläche
- ❖ Smarte Bauform
  - Idealer Biegeradius 30°
  - Stützanker für stabilen Halt
- ❖ Stecksystem
  - Verschiedene Größen miteinander kombinierbar
  - Kombination von Tüllen und Krümmern möglich
- ❖ Aufsteckbare Flügel (P761)
  - Normabstand 15 cm zur Türschalung
  - Für Betonüberdeckungen von 20 – 60 mm

Artikelnummer	P956-20-NK
Kategorie	Betoninstallation
Montageart	Nagel, Kleber
EAN	4260182067017
Material	PP
Farbe	Anthrazit-Orange

### Produkteigenschaften

Länge	50 mm
Breite	54 mm
Höhe	70 mm
Durchmesser innen	20 mm
Flügelspannweite	233 mm
Typ	20

## Wand- und Deckenkrümmer C25



- ❖ Einfache Montage
  - Zeitsparende Nagelführung
  - Große Klebefläche
- ❖ Smarte Bauform
  - Idealer Biegeradius 30°
  - Stützanker für stabilen Halt
- ❖ Stecksystem
  - Verschiedene Größen miteinander kombinierbar
  - Kombination von Tüllen und Krümmern möglich
- ❖ Aufsteckbare Flügel (P761)
  - Normabstand 15 cm zur Türschalung
  - Für Betonüberdeckungen von 20 – 60 mm

Artikelnummer	P956-25-NK
Kategorie	Betoninstallation
Montageart	Nagel, Kleber
EAN	4260182067024
Material	PP
Farbe	Anthrazit-Orange

### Produkteigenschaften

Länge	54 mm
Breite	59 mm
Höhe	75 mm
Durchmesser innen	25 mm
Flügelspannweite	237 mm
Typ	25

## Wand- und Deckenkrümmer C32



- ❖ Einfache Montage
  - Zeitsparende Nagelführung
  - Große Klebefläche
- ❖ Smarte Bauform
  - Idealer Biegeradius 30°
  - Stützanker für stabilen Halt
- ❖ Stecksystem
  - Verschiedene Größen miteinander kombinierbar
  - Kombination von Tüllen und Krümmern möglich
- ❖ Aufsteckbare Flügel (P761)
  - Normabstand 15 cm zur Türschalung
  - Für Betonüberdeckungen von 20 – 60 mm

Artikelnummer	P956-32-NK
Kategorie	Betoninstallation
Montageart	Nagel, Kleber
EAN	4260182067031
Material	PP
Farbe	Anthrazit-Orange

### Produkteigenschaften

Länge	62 mm
Breite	69 mm
Höhe	84 mm
Durchmesser innen	32 mm
Flügelspannweite	245 mm
Typ	32

## Claw-Sleeve C20



- ❖ Concrete-tight
- ❖ Integrated strain relief
- ❖ No rework - cutting conduits not necessary
- ❖ Suitable for all types of conduits



Article No.	P955-20
Category	Concrete installation
Type of installation	Plug connection
EAN	4260182066935
Material	PP
Colour	Anthracite

### Product features

Diameter inside	20 mm
Diameter outside	26 mm
Total length	53 mm
Type	20

## Claw-Sleeve C25



- ❖ Concrete-tight
- ❖ Integrated strain relief
- ❖ No rework - cutting conduits not necessary
- ❖ Suitable for all types of conduits



Article No.	P955-25
Category	Concrete installation
Type of installation	Plug connection
EAN	4260182066959
Material	PP
Colour	Anthracite

### Product features

Diameter inside	25 mm
Diameter outside	31 mm
Total length	53 mm
Type	25

## Claw-Sleeve C32



- ❖ Concrete-tight
- ❖ Integrated strain relief
- ❖ No rework - cutting conduits not necessary
- ❖ Suitable for all types of conduits



Article No.	P955-32
Category	Concrete installation
Type of installation	Plug connection
EAN	4260182066973
Material	PP
Colour	Anthracite

### Product features

Diameter inside	32 mm
Diameter outside	38 mm
Total length	61 mm
Type	32

## Claw-Sleeve C40



- ❖ Concrete-tight
- ❖ Integrated strain relief
- ❖ No rework - cutting conduits not necessary
- ❖ Suitable for all types of conduits



Article No.	P955-40
Category	Concrete installation
Type of installation	Plug connection
EAN	4260182066997
Material	PP
Colour	Anthracite

### Product features

Diameter inside	40 mm
Diameter outside	46 mm
Total length	61 mm
Type	40

## End- and Transition-Sleeve C20



- ❖ Simple installation
  - Time-saving nail guide
  - Large bonding surface
- ❖ Concrete all-rounder
  - Ceiling and wall transitions
  - Prefabrication/site concrete/exposed concrete
- ❖ Plug-in system
  - Different sizes can be combined with each other
  - Combination of sleeves and elbows possible
- ❖ Attachable wings (P761)
  - Standard distance 15 cm from the door formwork
  - For concrete covers from 20 - 60 mm

Article No.	P955-20-NK
Category	Concrete installation
Type of installation	Nail, glue
EAN	4260182066942
Material	PP
Colour	Anthracite-orange

### Product features

Length	50 mm
Width	36 mm
Height	55 mm
Outside diameter	26 mm
Inside diameter	20 mm
Wing span	233 mm
Type	20



## End- and Transition-Sleeve C25



- ❖ Simple installation
  - Time-saving nail guide
  - Large bonding surface
- ❖ Concrete all-rounder
  - Ceiling and wall transitions
  - Prefabrication/site concrete/exposed concrete
- ❖ Plug-in system
  - Different sizes can be combined with each other
  - Combination of sleeves and elbows possible
- ❖ Attachable wings (P761)
  - Standard distance 15 cm from the door formwork
  - For concrete covers from 20 - 60 mm

Article No.	P955-25-NK
Category	Concrete installation
Type of installation	Nail, glue
EAN	4260182066966
Material	PP
Colour	Anthracite-orange

### Product features

Length	54 mm
Width	41 mm
Height	55 mm
Outside diameter	31 mm
Inside diameter	25 mm
Wing span	237 mm
Type	25

## End- and Transition-Sleeve C32



- ❖ Simple installation
  - Time-saving nail guide
  - Large bonding surface
- ❖ Concrete all-rounder
  - Ceiling and wall transitions
  - Prefabrication/site concrete/exposed concrete
- ❖ Plug-in system
  - Different sizes can be combined with each other
  - Combination of sleeves and elbows possible
- ❖ Attachable wings (P761)
  - Standard distance 15 cm from the door formwork
  - For concrete covers from 20 - 60 mm

Article No.	P955-32-NK
Category	Concrete installation
Type of installation	Nail, glue
EAN	4260182066980
Material	PP
Colour	Anthracite-orange

### Product features

Length	62 mm
Width	48 mm
Height	63 mm
Outside diameter	38 mm
Inside diameter	32 mm
Wing span	245 mm
Type	32

## End- and Transition-Sleeve C40



- ❖ Simple installation
  - Time-saving nail guide
  - Large bonding surface
- ❖ Concrete all-rounder
  - Ceiling and wall transitions
  - Prefabrication/site concrete/exposed concrete
- ❖ Plug-in system
  - Different sizes can be combined with each other
  - Combination of sleeves and elbows possible
- ❖ Attachable wings (P761)
  - Standard distance 15 cm from the door formwork
  - For concrete covers from 20 - 60 mm

Article No.	P955-40-NK
Category	Concrete installation
Type of installation	Nail, glue
EAN	4260182067000
Material	PP
Colour	Anthracite-orange

### Product features

Length	70 mm
Width	56 mm
Height	63 mm
Outside diameter	46 mm
Inside diameter	40 mm
Wing span	253 mm
Type	40

## Wall- and Ceiling-Elbow C20



- ❖ Simple installation
  - Time-saving nail guide
  - Large bonding surface
- ❖ Smart design
  - Ideal bending radius 30°
  - Support anchor for stable hold
- ❖ Plug-in system
  - Different sizes can be combined with each other
  - Combination of sleeves and elbows possible
- ❖ Attachable wings (P761)
  - Standard distance 15 cm from the door formwork
  - For concrete covers from 20 - 60 mm

Article No.	P956-20-NK
Category	Concrete installation
Type of installation	Nail, glue
EAN	4260182067017
Material	PP
Colour	Anthracite-orange

### Product features

Length	50 mm
Width	54 mm
Height	70 mm
Inside diameter	20 mm
Wing span	233 mm
Type	20

## Wall- and Ceiling-Elbow C25



- ❖ Simple installation
  - Time-saving nail guide
  - Large bonding surface
- ❖ Smart design
  - Ideal bending radius 30°
  - Support anchor for stable hold
- ❖ Plug-in system
  - Different sizes can be combined with each other
  - Combination of sleeves and elbows possible
- ❖ Attachable wings (P761)
  - Standard distance 15 cm from the door formwork
  - For concrete covers from 20 - 60 mm

Article No.	P956-25-NK
Category	Concrete installation
Type of installation	Nail, glue
EAN	4260182067024
Material	PP
Colour	Anthracite-orange

### Product features

Length	54 mm
Width	59 mm
Height	75 mm
Inside diameter	25 mm
Wing span	237 mm
Type	25

## Wall- and Ceiling-Elbow C32



- ❖ Simple installation
  - Time-saving nail guide
  - Large bonding surface
- ❖ Smart design
  - Ideal bending radius 30°
  - Support anchor for stable hold
- ❖ Plug-in system
  - Different sizes can be combined with each other
  - Combination of sleeves and elbows possible
- ❖ Attachable wings (P761)
  - Standard distance 15 cm from the door formwork
  - For concrete covers from 20 - 60 mm

Article No.	P956-32-NK
Category	Concrete installation
Type of installation	Nail, glue
EAN	4260182067031
Material	PP
Colour	Anthracite-orange

### Product features

Length	62 mm
Width	69 mm
Height	84 mm
Inside diameter	32 mm
Wing span	245 mm
Type	32